

# **MAJOR PUBLIC WEBCAST AUCTION**

CDS Leopold  
CDS Components  
Texas



**MAJOR CNC PRECISION HIGH SPEED MULTI-AXIS HORIZONTAL,  
VERTICAL, AND TURNING FACILITY OF HIGH-TECH EQUIPMENT**

10:30 a.m., Thursday, December 1  
6013-A Techni Center Drive  
Austin, TX

Inspection Dates: Tuesday & Wednesday,  
November 29 & 30, 8:00 a.m. – 4:30 p.m.  
& Morning of Sale from 8:00 a.m.



**GREAT AMERICAN GROUP®**  
WHOLESALE & INDUSTRIAL SERVICES

WWW.GREATAMERICAN.COM

LOS ANGELES • CHICAGO • BOSTON • NEW YORK • ATLANTA

**CDS LEOPOLD**  
CDS Components Texas

**SALE DATE:**  
Thursday, December 1; 10:30 AM

**SALE LOCATION:**  
6013-A Techni Center Dr., Austin, TX

**INSPECTION:**  
Tuesday & Wednesday, November 29 & 30,  
8:00 AM - 4:30 PM and morning of the sale  
from 8:00 AM

**DIRECTIONS:** From the Austin Bergstrom  
International Airport: Head West from  
Presidential Blvd. (1.2 Miles). Turn Left at TX-71  
E/Bastrop HWY, Bear Right at Bastrop HWY, Take  
US-183 N (4.5 Miles) North to Top of Hill. Watch  
for Shell Gas Station on Left. Turn Left onto  
Techni Center Drive. Proceed to First Complex on  
Left. Watch for Auction signs.

**TERMS:** \$500 Refundable Cash Deposit;  
Payment by Cash, Cashier's Check, Business  
Check with Bank Letter of Guarantee; 25% Due  
Upon Award; 10% Buyer's Premium. (On-line  
bidders subject to a 13% buyer's premium.) On-  
line bidders are required to register as per instruc-  
tion on the web site. Certain items are subject to  
prior sale.

**FOR MORE INFORMATION CONTACT:**  
Roy Gamityan by email:  
rgamityan@greatamerican.com  
or Phone: 818-884-3747, ext. 340

**BID ON-LINE VIA YOUR PC:** If you are unable  
to attend the auction...no problem. Register  
today and bid from the convenience of your  
home or office. All items up for bid will be  
displayed via the internet and your bid will be  
received in real time along with the other atten-  
dees at the auction site.



**GREAT AMERICAN GROUP®**  
WHOLESALE & INDUSTRIAL SERVICES

**LOS ANGELES  
CORPORATE OFFICE:**

**6330 Variel Avenue  
Woodland Hills, CA 91367  
Tel. 818-884-3737  
Fax 818-884-3561**

**www.greatamerican.com**

**REGIONAL OFFICES IN:**

**CHICAGO • BOSTON  
NEW YORK • ATLANTA**



**2000**

**40" Pallets**



**LATE MODEL  
42 Pallet  
FMS**

**CNC 4 AXIS HORIZONTAL CELL SYSTEMS**

(2) 2000 Makino Model MCB1516, 39.5" Sq. Shuttle Pallets, W/ DBL Pallet Receiver, Full 4th Axis, (13) Pallets, 63" X-Axis Travel, 59" Y-Axis Vertical Spindle Travel, 47" Z-Axis Column Travel, 360,000 Index Position, Spindle Speeds to 15,000 RPM, 60/50 HP Jet Spindle Motor, 50 Taper, 1,000 PSI Coolant Through Spindle, Probing, W/ Makino Model LPM/1516 Cell Controller, S/N 333 W/ Fanuc Professional 3-161 CNC Control & 200 ATC, S/N A96-283 (W/ Professional 3-16M CNC & 120 ATC), Only 5,700 hours of use.

1996 Mazak Cell/Line, Consisting Of: (4) Mazak Model Ultra 550 & (1) Mazak Model H-500/50N CNC Horizontal Machining Centers, (42) Pallets, Arranged W/(3) Loading Stations, Barnes Chip Conveyors, (4) Mazak Model Ultra 550 W/ Specs: Mazatrol M-Plus CNC, DBL. 19-3/4" Sq. Shuttle Pallets With 4th Axis Rotary Tables, 31" X-Axis Travel, 21" Y-Axis Vertical. Spindle Travel, 21" Z-Axis Column Travel, Speeds to 15,000 RPM, 25 HP Motor, 50 Taper, 240 ATC. Changer, Coolant Through Spindle, S/N 118648 (1996) W/ Full 4th Axis, S/N 120544 (1996) W/ 1 Deg. Indexing, S/N 120545 (1996) W/ 1 Deg. Indexing, S/N 120547 (1996) W/ 1 Deg. Indexing, (1) Mazak Model H-500/50N W/Specs: Mazatrol M-32 CNC Control, Dbl. 19-3/4" Sq. Shuttle Pallets With Full - 4th Axis Rotary Tables, 31" X-Axis Travel, 21" Y-Axis Vertical Spindle Travel, 21" Z-Axis Column Travel, Speeds To 15,000 RPM, 25 HP Motor, 50 Taper, 240 ATC, Coolant Through Spindle, S/N 108736, Barnes Chip Conveyors, Mazak LPM/550 Cell Controller



**2000**

**1 OF 2**

**CNC HORIZONTAL  
MACHINING  
CENTERS**

(2) 2000 Makino Model A99, Fanuc Professional 3-161 CNC Control, DBL 31.5" Sq. 4th Axis Shuttle Pallet Rotary Table, 39.4" X-Axis Travel, 39.4" Y-Axis Vertical Spindle Travel, 37.4" Z-Axis Pallet Carriage Travel, Full Contouring 4th Axis, Speeds To 12,000 RPM, 30/40 HP Spindle, 132 Tool ATC, CT50 Taper, Coolant Through Spindle, Rigid Tapping, Chip Conveyors, S/N 117 W/90 ATC, S/N 119 W/132 ATC

**Can't Attend the Sale? Bid**



**2000**



**2000**

**CNC VERTICAL TURNING CENTER**

2000 O-M LTD 50, Model Omega 50, Live Milling, Fanuc Series 18i-T CNC, 36" Diameter 4-Jaw Chuck, 3,300 LBS Max. Work PC. Weight, 35-1/4" Max. O.D. Chucking Capacity, 36" Max. I.D. Chucking Capacity, 39-3/8" Max. Turning Diameter, 49-1/4" Max. Swing Inside Guards, 10.968" Minimum I.D. for Passage of Ram Head, Fixed Height Rail W/23-5/8" Max. Distance Under Tool Holder, Spindle Speeds: 4- 800 RPM in (2) Ranges, 50/60 HP AC Spindle Drive, Single 7" Square Boring Ram W/ 31.5" Z-Axis Travel & 12 ATC, 50 Taper, 18-7/8" Max. Tool Length, 110 LB. Max. Tool Weight, 11-1/4" Max. Tool Diameter on Adjacent Tools, Chip Conveyor, Coolant, MT-1277C, S/N 995648

**CNC VERTICAL MACHINING CENTERS**

2000 Matsuura Model RA3GII, Yasnac I-80 CNC Control, Dual 19-1/4" X 31.5" Drilled & Tapped Shuttle Pallet Tables W/ DBL Pallet Receiver, 660 LBS. Load Capacity per Pallet, 31.5" X-Axis Travel, 20.07" Y-Axis Saddle Travel, 19.68" Z-Axis Head Travel, 35.59" Max. Distance from Top of Table to Spindle Nose, Speeds: 40-12,000 RPM, 20/30 HP Spindle Drive, #40 Taper Spindle, 30 Tool ATC, Coolant System, Chip Conveyor, S/N 990813841

1996 Matsuura Model RA-III, Yasnac I-80 CNC Control, Dual 16.5" X 31.5" Shuttle Pallet Tables W/ DBL. Pallet Receiver, 660LB. Max. Pallet Load Cap., 31.5" X-Axis Travel, 17.32" Y-Axis Saddle Cross Travel, 19.09" Z-Axis Head Travel, 25" Max. Distance from Pallet to Spindle Speeds: 30-8000 RPM, #40 Taper Spindle, 30 ATC, Coolant Thru Spindle, S/N 960612002

1997 Fadal Model VMC4020 - 906-1, Fadal CNC 88HS High Speed CNC Control, 20" X 48" Standard Table, With Fadal "Automatic Pallet Changer", DBL. 19" X 42" Drilled & Tapped Shuttle Pallet Tables W/ DBL. Pallet Receiver 400 LBS. Capacity Per Pallet, 40" X-Axis Long. Table Travel, 20" Y-Axis Saddle Cross Travel, 20" Z-Axis Vertical Head Travel, 10,000 RPM, 15 HP Motor, #40 Taper Spindle, 30 ATC, Coolant System, S/N 9707360

(2) 1988 & 1987 Fadal Model VMC4020 - 904-1, Fadal CNC 88 CNC Control, 20" X 48" Table, 40" X-Axis Long. Table Travel, 20" Y-Axis Saddle Cross Travel, 20" Z-Axis Vertical Head Travel, 10,000 RPM, 15 HP Motor, #40 Taper Spindle, 21 ATC, Coolant System, S/N 8709879, S/N 8802229

Mori Seiki Model MV40B, Fanuc 11M CNC Control, 17-3/4" X 43-1/4" Table, 1540LBS. Table Load Cap., 31.5" X-Axis Long. Table Travel, 16" Y-Axis Saddle Cross Travel, 20.1" Z-Axis Vertical Head Travel, 8,000 RPM Spindle, 10 HP Motor, BT40 Taper Spindle, 20 ATC, Coolant System, S/N 1507

1995 Mazak Model MTV 515/40, Mazatrol M-Plus CNC Control, 22" X 51" Table, 3,306 LBS. Load Cap., 41.3" X-Axis Travel, 20.1" Y-Axis Travel, 22" Z-Axis Travel, Speeds: 25 - 6,000 RPM, 20/25 HP Spindle Drive, #50 Spindle Taper, Troyke 20" Diameter T-Slotted 4th Axis Rotary Table with Horiz./Vert. Base, 30 ATC, Chip Conveyor, S/N 116200



**10F3**



**Low Hours**



**CNC TURNING/MILLING CENTER**

1996 Mazak Model Integrex 30, Mazatrol T-Plus CNC Control, 21.65" Max. Rated Turning Diameter, 13.78" Swing Over Turret Slide, 40" Centers, 3.1" Hole, C-Axis Spindle With 360,000 Positions, Spindle Speeds to 3500 RPM, 40 ATC, 40 Taper, Live Tool Speeds To 6,000 RPM, 10" Diameter 3-Jaw Power Chuck, Swing-Down Tool Pre-Setter, Tailstock, Chip Conveyor, S/N 120510

**HORIZONTAL TOMBSTONES**

Numerous Steel and Aluminum Fabricated Tombstone Fixtures in Assorted Sizes Available. Some Equipped With Kurt or Chick "Multi-Lock" Vises

# TURNING FACILITY OF HIGH-TECH EQUIPMENT



## CNC TURNING CENTERS

1996 Mazak Model Powermaster N2000U, Mazatrol T-Plus CNC Control, 34" Swing Over Bed, 21.65" Swing Over Crossslide, 25.79" X-Axis Travel, 88" Z-Axis Travel, 82" Centers, 4.625" Bore, Speeds: 2-1200 RPM, 50/60 HP Motor, 8 Tool Position Front Vertical & 4 Tool Position Rear Horizontal Turrets On Common Crossslide, 25-3/4" Diameter Drilled & Tapped Faceplate, Chip Conveyor W/ Oil Separator, Tailstock, S/N 113798

1995 MAZAK Model M5NX1500U CNC LATHE, Mazatrol T-Plus CNC Control, 24" Swing Over Bed, 13" Swing Over Crossslide, 21.25" X-Axis Travel, 61" Z-Axis Travel, 60" Centers, 22.8" Max. Rated Turning Diameter, 4.09" Hole, Speeds: 60-2200 RPM, 25/30 HP Motor, 20" Diameter T-slotted Faceplate, 8 Tool Position Front Vertical & 6 Tool Position Rear Horizontal turrets on common crossslide, tailstock, chip conveyor, S/N 117339

1993 Mazak Model Super Quick Turn 28 CNC Lathe, Mazatrol T-32B CNC Control, 22.04" Max. Rated Swing, 19.69" Swing Past Turret Slide, 16.14" Max. Rated Turning Diameter, 47.24" Centers, 40.24" Max. Rated Machining Length, 3.03" Bar Capacity, Speeds: 35-3500 RPM, 30 HP Motor, 12 Tool Position Vertical Turret, 10" Diameter 3-Jaw Power Chuck, Swing-Down Tool Pre-Setter, Tailstock, Chip Conveyor, S/N 109009



## COORDINATE MEASURING MACHINES

2000 Zeiss Model Sys-DB1200-60120-48-Dcc-32 Bit Traveling Semi-Gantry Design, 60" X-Axis Ram Cross Travel, 120" Y-Axis Gantry Long. Travel, 48" Z-Axis Ram Travel, 54" Max. Height Under Gantry, Zeiss Articulating Probe Head, Mtd. On 96" X 134" X 20" Gray Granite Platen, (5) Interchangeable Probes, Dell PC Based Control System Upgraded 2005 Calypso Version 3.8.12 Software, Portable Operator's Pendant Control W/DbL Joysticks, Part No. 126.6345, S/N 620670-9001 RDS-NR.545, S/N 200008221006

1996 Brown & Sharpe Model Xcel 7-10-7 Traveling Gantry Type, 18" X-Axis Ram Cross Travel, 36" Y-Axis Long. Gantry Travel, 18" Z-Axis Ram Travel, 27" Max. HT Under Cross Rail, Mounted on 41" X 65" X 8" Gray Granite Platen, Renishaw PH9A Probe Head, PC Based Control System, Operator's Hand-Held Pendant Control W/Joystick, S/N 396-2313

1990 Brown & Sharpe Model 9-12-9 Traveling Gantry Type, 48" X-Axis Travel, 42" Y-Axis Travel, 24" Z-Axis Travel, 35" Max. Height Under Gantry, Mounted on 51" X 73" X 8" Black Granite Platen, Brown & Sharpe Pc Based Control System, Operator's Hand-Held Pendant Control W/Joy Stick, Renishaw Model. PH9A Probe Head, S/N 0690-150

2004 Faro Arm Model G08-02, Portable, Faro Measure Version 3.12, SBC Graft Verson 2.01, W/ Carrying Case, S/N G0802990-1547



## PRECISION CHUCKER

Hardinge Model HC, 13" Swing Over Bed, 14" Max. Dist. Collet Nose to Turret Face, 1-1/8" Hole Thru Spindle: 125-3000 RPM, 1.5 HP, 5-C Hand Collet Closer, 8 Tool Position Turret, Power Carriage Feed, S/N HC-4912-T

## ENGINE LATHE

Nardini 14" X 40" Gap Bed Type, Model Mascote 1440, 8" Swing Over Crossslide, 19" Swing In Gap, 2" Hole, Speeds: 63-2500 RPM, 5 Hp Motor, Inch/Metric Thearding, 8" Diameter 3-Jaw Chuck, 5-C Collet Holder, S/N D2-JC0-262

## VERTICAL MILLS

(3) Bridgeport Series 1, 9" X 48" Table, Bridgeport Late Type Power Long. Table Feed, Model 2J - 2 HP Variable Speed Head, 60-4200 RPM, Hard Chrome Knee & Saddleways, S/N 181868, S/N 181854, S/N 181157

Lagun Model FTV-2, 10" X 50" Table, 34" Long. Table Travel, Servo Type 140 Power, Long Table Feed, 3 HP Variable Speed Head, 50-4500 RPM, R-8 Spindle Taper, Sony Millman 2-Axis D.R.O., S/N SE-38055

## SURFACE GRINDER

Boyar-Schultz 6" X 12", Model H612 Challenger, Reciprocating Table, Manual Feed, 6" X 1/2" Wheel Cap., 1 HP Spindle Drive Motor, 9-1/2" Max. Height Under Wheel, Walker 6" X 12" Electromagnetic Chuck, S/N 28176



**HORIZONTAL HONING MACHINE**

Sunnen Model MBB1290D, 1/2 HP Motor, S/N 13633

**VERTICAL BANDSAW**

Rockwell/Delta 20", Model 28-3X5, 24" Sq. Titrating Table, Blade Speeds: 50-4500 RPM, 1 HP Motor, Blade Welder & Grinder, S/N 1524121

**TAP DISINTEGRATOR**

Electroarc Model LBH, Extra High Column, Tilting Head, S/N 13742

**ELECTRONIC HEIGHT GAUGE**

2004 Brown & Sharpe Model Micro Height 600, 24" Capacity, PLC, Printer

**ELECTRONIC DIGITAL HEIGHT GAUGES**

(2) Fowler Trimos Model 1000, 40" Capacity, Sylvac PLC Control W/Printer

Trimos Vertical III, 24" Capacity, Sylvac PLC Control W/Printer

Trimos Fowler Model 600, 24" Capacity



**SURFACE PLATES**

Large Capacity Precision 8' X 10' X 14-1/2" Gray Granite On Stand, Precision 4' X 6' X 9" Black Granite On Fabricated Stand, Precision 2' X 3' X 4-1/2" Black Granite, Cabinet Base, Precision 4' X 5' X 9" Black Granite On Shop Fabricated Stand, Precision 4' X 6' X 8-1/2" Black Granite On Stand; Precision 3' X 4' X 6" Black Granite



**OPTICAL COMPARATORS**

Deltronic 14", Model Dh214MPC5E, 5" X 15" Staging Table, Side Illumination, 10X Lens, Deltronic Model MPC-5 2-Axis DRO, Auto. Edge Finder, PLC Control, S/N 2590114086

Optical Gauging Products Top Bench 14", 4" X 17-1/2" Swiveling Staging Table, Side Illumination, 2-Axis Read-Out, Automatic Edge Finding, PLC Type Control System, S/N TB12061237

**QUALITY CONTROL AND PRECISION MEASURING EQUIPMENT**

Mitutoyo Digital Calipers, Hole Micrometers, Dial Bore Gauges, Digital Height Gauges, Blade & Pin Type Micrometers, Precision Squares, Dial Type I.D. Ring Groove Gauges, Pin Gauges, Vernier Calipers, Precision Protractors, Plug Type Thread Gauges, Ring Type Thread Gauges, Numerous Surface Plates in Assorted. Sizes.

**VACUUM LEAK TESTING EQUIPMENT**

1995 & 1996 (2) Varian Model Auto-Test 947 Helium Vacuum Leak Rate Testers W/ Internal Vacuum Pumps

**SCREW TYPE AIR COMPRESSORS**

Atlas Copco Model GA75, 100 HP Screw Type, 450 CFM @ 100 PSI, Elektronikon PLC Control Panel, Cabinet Enclosure, Skid Base

Atlas Copco Model GA37, 50 HP Screw Type, 246 CFM @ 100 PSI, Cabinet Enclosure, Skid Base

**REFRIGERATED AIR DRYERS**

(2) Deltech Model Hydrogard HG550, S/N 932HG625, S/N N.A.



**VERTICAL AIR RECEIVERS**

(2) Steel Fabricated, (1) 30" Dia. X 84" Ht. & (1) 36" Dia. X 96" HT.

**ELECTRONIC DIGITAL HARDNESS TESTER**

2004 New Age Versitron, 8-1/2" Throat Depth, 7-1/2" Max. Work Height, Digital Display, Cabinet Base

**MANLIFT**

Skyjack 500 LB. Capacity, Model M6015, Electric Battery Operated, 15' Max. Lift HT., 2' X 4' Platform, Battery Operated, Top Controls, S/N 16740

**PEDESTAL JIB CRANES**

Anchor 2-Ton Capacity X 12' Hook HT. X 14' Reach, Coffing 2-Ton Capacity Electric Chain Hoist W/ Pendant Control

Contrx Industries 1-Ton Capacity X 12' Hook HT. X 12' Reach, Coffing 1-Ton Capacity Electric Chain Hoist W/ Pendant Control

Gorbel 1-Ton Cap. X 12' Hook HT. X 14' Reach, Coffing 1-Ton Cap. Elec. Chain Hoist W/ Pendant Control

Gaffey 1-Ton Capacity X 12' Hook HT. X 10' Reach, Budget 1-Ton Capacity Electric Chain Hoist W/ Pendant Control

Gaffey 1/2-Ton Capacity X 12' Hook HT. X 8' Reach, Budget 1/4-Ton Capacity Electric Chain Hoist W/ Pendant Control

Custom 1/4-Ton Capacity, 7' Hook HT. X 6' Reach, Coffing 1/4-Ton Capacity Electric Chain Hoist W/ Pendant Control

**FORKLIFTS**

Toyota 4,500 LB. Cap., Model 7FGCU25, LP Gas Engine, Solid Cushion Tires, 7' HT. Triple Stage Mast, 189" Max. Lift HT., 42"L. Forks, Side-Shifter, S/N 67113

Yale 6,000 LB. Cap., Model L-83C-070-SPT-090, LP Gas Engine, Solid Cushion Tires, 7' HT. Triple Stage Mast With 226" Lift HT., 36"L. Forks, S/N P219230

**MISCELLANEOUS SHOP AND WAREHOUSE EQUIPMENT**

(2) Microair Model OM3500 Mist Collectors For Use With Machining Centers, Microair Model OM500 Mist Collector For Use With Turning Centers, Doall 10" Bench Type Abrasive Chop Saw W/3 HP Motor, Conrac 5" Diamond Wheel Tool Lapper W/Tilting Table, Baldor 6" Double End Bench Grinders; Worktables; 4" X 6" Compact Horizontal Bandsaw, Portable Dust Collection Units, Shop Fans, Portable Cecor "Sump Sucker" Coolant Pumping & Filtration System, Model CE50-150/150TW, 150 Gal. Cap., S/N 45053, Aluminum Folding Step Ladders, Blaser Pneumatic Drum Pump, Plastic Waste Coolant Holding Tank, Manual Drum Pump, Misc. Heavy Duty Fabricated Steel Die & Tooling Storage Racks, Warehouse Carts, Misc. Warehouse Rack Sections, Announcement Boards, Tool Cabinets, Lista Tooling Storage Cabinets, Pallet Jacks, Chip Tubs, Folding Fiberglass & Aluminum Ladders, Pressure Washers, Metal Storage Cabinets, Tool Cabinets, Toolboxes, Mobile Wire Shelf Units, Shop Supplies, Abrasive Shop Supplies, Flammable Material Storage Cabinets, Tray Carts, Gas Regulators, Microair Welding Fume & Smoke Exhaust System, Custom Tig Rod Storage Cabinet, Baldor 4" Belt Grinder, 20 T. Cap. H-Frame Hydraulic Shop Press, Hydraulic Scissor Lift Tables; Forklift Jib Boom Attachment & More!



**TOOL HOLDERS**

1000'S of BF- 50 & 40 Endmill Holders, Floating Tap Holders, Collet Holders, Extended Endmill Holders, Morse Taper Type Endmill Holders, Carbide Inserted Facemills, Facemill Holders, Right Angle Spindle Adapters, Many Configurations, Types, And Styles Available

**WELDERS**

1995 Miller Model Syncrowave 500 – 500 AMP AC/DC High Frequency Balanced Wave Power Source, Cart Base, S/N KF965107

1997-95 (4) Miller Model Syncrowave 351 – 350 AMP AC/DC High Frequency Balanced Wave Power Sources, Cart Base, Water Cooling Unit, Tig Torch, S/N KF930775 (1995), S/N KG053302 (1996), S/N KH383826 (1997), S/N KF933455 (1995)

Miller Model Millermatic 250 – 250 AMP DC Power Source, Mig Wire Feeder, Tweco Mig Gun, Cart Base

**AUTOMATED PARTS WASHER**

2004 Andersen Model VSW3000 Aqueous Type, 36" Diameter Rotary Table, 50" Max. Work Height, Andersen Cycle Control W/ PLC Pre-Set Of Water Temp., Rinse Temp. & Timer, Dry Cycle, Pumping & Filtration System, S/N 1068

**VAN TRUCKS**

International Model 4700T44E, Conventional Cab, Single Rear Axle – Dual Wheels Each Side, 30'L. Van Body Roll-Up Door, Hydraulic Lift Gate

GMC Top Kick, Conventional Cab, 20'L. Van Body, Single Rear Axle – Dual Wheels Each Side



**PRECISION MACHINE TOOLING**

Bridgeport Right Angle Spindle Attachment, Drill Press Vises, Tilting Vises, 2-Axis Tilting Drill Press Type Vises, Precision Angle Plates, News 10" T-Slotted Rotary Table With Vert. /Horiz. Base, Kurt Mill Vises, Collets, Chucks, Large Quantity #BT40 Taper Endmill Holders, Collet Holders, Extended Endmill Holders, Inserted Face & Shell Mills, Drill Holders, Haas 8" Dia. T-Slotted CNC Rotary Table W/ Horiz./Vert. Base, Haas "Servo Control" Programmable Control System

**EXPENDABLE CUTTING TOOLS**

Carbide Inserted & High Speed Steel Endmills, Carbide Inserted & High Speed Steel Horizontal Milling Cutters, Twist Drills, Pipe & Bolt Taps, Counterbores, Countersinks, Reamers, Adjustable Reamers, Inserted Blade Type Reamers, Carbide Inserted Face & Shell Mills

**OFFICE FURNITURE**

5' X 12' Conference Table & Chairs, Modular Office Cubicles with Work Surfaces And Overhead Storage

**MAJOR PUBLIC WEBCAST AUCTION**

**MAJOR CNC PRECISION HIGH SPEED MULTI-AXIS HORIZONTAL, VERTICAL, AND TURNING FACILITY OF HIGH-TECH EQUIPMENT**

CDS Leopold  
CDS Components Texas  
[www.greatamerican.com](http://www.greatamerican.com)

10:30 a.m., Thursday, December 1  
6013-A Techni Center Drive, Austin, TX

Inspection Dates: Tuesday & Wednesday, November 29 & 30,  
8:00 a.m. – 4:30 p.m. & Morning of Sale from 8:00 a.m.

 **GREAT AMERICAN GROUP**  
WHOLESALE & INDUSTRIAL SERVICES

6330 Variel Avenue, Suite 100  
Woodland Hills, California 91367



Mark Weitz, TX Lic. # 13339  
Auctioneer

**ATTENTION:  
PLANT MANAGER OR  
MACHINERY BUYER!**