

MAJOR LIQUIDATION

ON BEHALF OF:

Coastcast

Mexico Facilities

GOING ON NOW!

Late Model Investment Casting & Metal Finishing Equipment

COMPLETE LIQUIDATION • MULTIPLE LOCATIONS

Investment Casting & Metal Finishing Facilities Equipment
Featuring: Melting Equipment • Blast Cleaning Equipment
Heat Treat & Furnaces • Dust Collectors • Compressors
Machine Tools • Inspection • Lab Equipment • Welding Equipment
Rolling Stock • Office Equipment • Plant Support Equipment



ALL ITEMS SUBJECT TO PRIOR SALE

FOR MORE INFORMATION OR TO MAKE AN APPOINTMENT FOR INSPECTION PLEASE CONTACT

LIQUIDATION SALE UNDER MANAGEMENT OF:

DL DON LEWIS
MACHINERY & EQUIPMENT, INC.

32 N. Wood Rd. #B • Camarillo, CA 93010
Phone: 805-987-4160 • Fax: 805-987-4170
Email: home@donlewis.com
www.DONLEWIS.com



KMH
INTERNATIONAL

2325 Michael Farady • San Diego, CA 92154
Phone: 619-843-5005 • Fax: 619-661-0851
Email: info@kmhintl.com
www.KMHINTL.com



CNC VERTICAL MACHINING CENTER

- (1) 1998 HAAS VF-2, S/N 13360, Travels 30" X 16" X 20", 10,000 RPM, (16) Atc, 20 H.P. Vector Drive, Haas 7" Dia. 4th-Axis Rotary Table S/N 161015, Equipped w/ Rigid Tapping, 4-Meg Of Memory, Macros, Rotation With Scaling, Floppy, Programmable Coolant Nozzle, 6" Mill Vise, Misc. Tool Holders.

CNC ROUTERS

- (2) ACCU-ROUTER, No. Series 2m, Fanuc 6m, 31"x 79" Table, 34" Removable Riser For Extra Height Under Table, (2) 6-1/2 H.P. Motors On Each Machine With Two Separate Z-Axis Movements Per Machine Mounted Front and Back Of Rail, 17,650 R.P.M.

CNC TURNING CENTER

- (1) 1996 MORI SEIKI SL25B/500, S/N 7574, Fanuc 10tF-D Control, (10) Tool Turret, Tailstock, 3-Jaw Chuck.

(27) DRILL PRESSES GEARED-HEAD

- (25) 2000 TO 1997 JET MODEL GHD-20, 20" Floor Type, 2 H.P. Two Speed 50-2500 RPM, Table Size 14-3/4"x 17-1/2", Mt-3 Taper, Capacity In Steel 31.75mm. Some Units Available With Snow Air Vises And/Or X-Y Axis 6-1/4" X 18-1/2" Mill Tables.
- (2) 1998 SOLBERGA MODEL SE2030, 25" Floor Type, 1.5-1.1 Kw, Two Speed, Forward/Reverse, 90-3610 Rpm, 16"x 20" Table, S/N 341635, 334089.

(12) GRINDERS

- (1) CHEVALIER FSG-618M Hand Feed Surface Grinder, 6"x 18" Permanent Magnetic Chuck, S/N A3844015.
- (1) 1999 KENT SGS-816 Hand Feed Surface Grinder, 8"x 16" Permanent Magnetic Chuck, Wheel Balancer, Coolant System, S/N 88499.
- (1) DAREX DRILL SHARPENER, Bench Type, 1/3 H.P., 3450 RPM, S/N 47310C.
- (1) BALDOR MODEL 7309 5 H.P. Double End Bench Grinder, S/N W3-95.
- (1) FALCON CHEVALIER TOOL & CUTTER GRINDER, Bench Type, S/N I5855002.
- (1) 1998 CUTTER MASTER Grinder Model FCG-30, S/N 1730B.
- (2) BALDOR NO.500 CARBIDE GRINDER, Pedestal Type, 1/2Hp, S/N P1199, P599.
- (1) PHOENIX UNIVERSAL CUTTER/DRILL GRINDER.
- (1) 2002 JET 20" DISC GRINDER Model Jds-20-3, 2 Hp, Tilt Table 10-1/2"x 27-1/2", Stock#708588, S/N 6110002.
- (1) BURKING 2" BELT GRINDER Model 980.
- (1) WILTON 2" BELT GRINDER, 2 Hp, Three Wheel.

(4) ENGINE LATHES

- (1) 2001 WEBB MODEL 17"G X 60" 17" Swing x 60"Cc, 32-1800 RPM, 2-5/8" Spindle Bore, Inch/Metric Threading, Gap-Bed, Kdk Tool Holder Set, 10" 3 & 4-Jaw Chucks, 16" Face Plate, Steady Rest, Rear Splash Guard, Foot Brake, Coolant, S/N 320129.
- (1) 1997 JET MODEL 1660-3PGH, 16" Swing x 60"Cc, 40-1600 RPM, 4" Spindle Bore, Inch/Metric Threading, Gap-Bed, 4-Way Tool Holder, 12" 3-Jaw Chuck, 15" 4-Jaw Chuck, Face Plate, Steady Rest, Rear Splash Guard, S/N 9705GB0015.
- (1) 1999 CADILLAC 1640 MODEL CL-40100G 16" Swing x 40"CC, Lever Collet Closer, Kdk Tool Set, 8" 3-Jaw Chuck, 10" 4-Jaw Chuck, Steady Rest, Foot Brake, S/N A95044.
- (1) BALDOR SPEED LATHE, Bench Type.

(12) VERTICAL MILLING MACHINES

- (2) 1990 BRIDGEPORT MODEL SERIES I, 2 H.P., 9"x 48" Table, Variable Speed, Collet Rack, S/N 277120, 277122.
- (1) 1978 BRIDGEPORT MODEL SERIES I, 2 H.P., 9"x 48" Table, Variable Speed, Bridgeport Powerfeed, Chrome Ways, 8" Riser, Sony Magnescaler Ea-210 Digital Readout, S/N 184646.
- (1) 1985 BRIDGEPORT MODEL SERIES I, 2 H.P., 9"x 48" Table, Variable Speed, Powerfeed, 8" Riser, S/N 232309.
- (1) 1982 BRIDGEPORT MODEL SERIES I, 2 H.P., 9"x 42" Table, Variable Speed, Servo Powerfeed, 12" Riser, Anilam Microwizard Digital Readout, S/N 227589.
- (1) 1981 BRIDGEPORT MODEL SERIES I, 2 H.P., 9"x 42" Table, Variable Speed, Bridgeport Power Feed, 7" Riser, Collet Rack, Sony Digital Readout, S/N 211305.
- (1) BRIDGEPORT MODEL J, 1-1/2 H.P., 9"x 42" Table, Variable Speed, 4" Riser, Collet Rack, S/N 138044.
- (1) 2000 WEBB MODEL 3VS, 3 H.P., 9"x 42" Table, Variable Speed, R-8 Spindle w/ Quick Switch Adapter, 6" Mill Vise, S/N 898339.
- (2) 1999 WEBB MODEL 2VS, 3 H.P., 9"x 42" Table, Variable Speed, S/N 887963, 887925.
- (1) LAGUM MODEL FTV-1, 10" X 44" Table, Belt-Change, S/N Se-41008.
- (1) JET MODEL GHD-20 GEARED HEAD MILL/DRILL, 8" X 28-1/2" Table, S/N 30007.
- (2) Rutland Model 26660530 Mill/Drill, 8" X 28-1/2" Table, S/N 131376.

(2) PANTOGRAPHS

- (1) DECKEL MODEL KF-1, Drag Table And Misc. Collets, S/N 2467.
- (1) DECKEL MODEL KF-12, Drag Table, S/N 3435.

(11) MOTORIZED HYDRAULIC H-FRAME PRESSES.

- (8) 1998 STENHOJ 44 TON H-FRAME HYDRAULIC PRESS MODEL 500994, Motorized Operation, S/N 000100/9, 000120/10, 000028/8, 00006/4, 000100/15, 000100/11, 000100/10, 000061/2.
- (2) 1997 STENHOJ 44 TON H-FRAME HYDRAULIC PRESS MODEL 501032, Motorized Operation, S/N 68790/7, 68790/6.
- (1) 1994 STENHOJ 44 TON H-FRAME HYDRAULIC PRESS MODEL 501005, Motorized Operation, S/N 68556/6.

(8) ROTARY TABLES

- (6) TROYKE MODEL DMT 15, 12" X 12" X/Y Travel Rotary Table.
- (1) WALTER TYPE RLS320G 12" Diameter Tilt Type, S/N 3085.
- (1) YUASA 10" X 10" X/Y Travel Rotary Table.

VERTICAL SAWS

- (6) 1991-1989 TANNEWITZ MODEL GINE, 36" THROAT, Table Size 37" X 53", 20 H.P., S/N 89022, 89021, 89019, 91011, 91010, 89023.
- (1) 1998 DO-ALL 20" MODEL 2013V, Blade Welder, S/N 500-981946.
- (1) 1997 RUTLAND 14" MODEL 26680360, Blade Welder, S/N 9737084.
- (2) BUTCHER BOY 15" MODEL B-16, 2 H.P., S/N 6-6975, 105.

IRON WORKER

- (1) 1998 SCOTCHMAN 40 MODEL 4014CM, Hydraulic Type, 3 H.P., S/N 7379FF398.
- (1) DAKE ARBOR PRESS Model 1-1/2 Bench Type.

MISCELLANEOUS SHOP EQUIPMENT

POWER TOOLS, WORK BENCHES, BENCH VISES, FIRE EXTINGUISHERS, LOCKERS, CARTS, TABLES, CHAIRS AND CONSUMABLES.

(21) AIR COMPRESSORS & DRYERS

- (5) 2000-1998 GARDNER DENVER 150 H.P. MODEL ELECTRA-SAVER II. #EB099F, ROTARY SCREW TYPE AIR COMPRESSOR, With Digital Controls, Full Enclosure, S/N S072646, S00924, S046402, S009244.
- (2) 2000-1999 GARDNER DENVER MODEL RDS800A-4 REFRIDGERATED DRYERS, w/ Digital Controls, S/N 214-11-27-2000-10951, 922-12-04-1999-7178.
- (3) 1998-1997 GARDNER DENVER MODEL 7000104 DRYERS, w/ Digital Controls, S/N 03-04-1998-2439, 03-05-1998-2447, 06-18-1997-1022.
- (6) 2000-1996 SULLAIR 100 H.P., MODEL LS-20-100L, ROTARY SCREW TYPE AIR COMPRESSOR, w/ Digital Controls, S/N 003-121258, 003-105676, 003-71638, 003-105378, 003-110627, 003-113300.
- (1) 1988 SULLAIR 75 H.P. MODEL 16BS-75H, ROTARY SCREW TYPE AIR COMPRESSOR, S/N 003-71638.
- (1) 1980 SULLAIR 50 H.P., MODEL 12-50H, ROTARY SCREW TYPE AIR COMPRESSOR, S/N 003-49751.
- (1) 1995 PNEUMATECH MODEL AD-1000 DRYER, Non-Cycling, Refridgerated, Cap. 1000 SCFM, 5 H.P., S/N 9512-T-122525-St.
- (1) 1995 PNEUMATECH MODEL AD-500 DRYER, Non-Cycling, Refridgerated, Cap. 500 SCFM, 3 H.P., S/N 9501-T122009-St.
- (1) 1994 DELTA MODEL HG-550A DRYER, Refridgerated, Compressed Air, 3 H.P., S/N 942HGA550A.
- (4) 1998-1996 VERTICAL AIR TANKS.

(23) AIR FILTERS & DUST COLLECTORS

- (2) 2001 TORIT DOWN FLO DUST COLLECTORS MODEL DF-T28, S/N IG505885-001.
- (1) 2001 TORIT DOWN FLO DUST COLLECTORS MODEL DF-T3-12, S/N IG519859-001.
- (2) 2000 TORIT DOWN FLO DUST COLLECTORS MODEL 4DE-16, S/N 992000-19, 99200-19.
- (1) 2001 TORIT DOWN FLO DUST COLLECTORS MODEL DFT4-16, S/N IG504988-001.
- (1) 2001 DUST HOG MODEL SC1700, Filter Part No. 33-R68.
- (16) AIR BOSS TRION AIR FILTERS MODEL M-3000 B, 2 H.P., Size 25"x 25"x 68".

(6) CYCLONES

- (2) 100 H.P., Model #36PLR.
- (2) 50 H.P., Fan Engineering Co., Size M-23, Type 1e, S/N Z-1101.
- (2) 75 H.P., Wet Type.

INVESTMENT CASTING EQUIPMENT

- (18) WAX INJECTION PRESSES.
- (2) 1981 37.5 TON JAHNKE VERTICAL HYDRAULIC WAX PRESSES, S/N 8104.

INVESTMENT CASTING EQUIPMENT (CONTINUED)

- (8) 1990-1989 12 TON JAHNKE VERTICAL HYDRAULIC WAX PRESSES, S/N 9030, 8915, 8936, 8935, 8933, 8934, 9028, 9029.
- (5) 2002 ARIZONA WAX TECH. 12 TON VERTICAL TWO HEAD WAX PRESS With Dual Rotary Tables.
- (1) 2002 ARIZONA WAX TECH. 12 TON VERTICAL TWO HEAD WAX PRESS With Dual 3-Post Stations.
- (1) MULLER PHIPPS HORIZONTAL HYDRAULIC WAX PRESS, Automatic Part Conveyor, Robotic Mold Release Sprayer, S/N 0939.
- (1) TEMPCRAFT HORIZONTAL HYDRAULIC WAX PRESS MODEL VARI-FLEX 35 AUTO, S/N 1309.

(28) INDUCTION MELTING EQUIPMENT

- (1) 1998 AJAX MAGNETHERMIC INDUCTION HEATERS 150 KW MODEL UNIT-A, S/N MX-2L120-A. #7
- (1) 1998 AJAX MAGNETHERMIC INDUCTION HEATERS 150 KW MODEL UNIT-B, S/N MX-2L120-A. #1
- (1) 1998 AJAX MAGNETHERMIC INDUCTION HEATERS 150 KW MODEL UNIT-C, S/N MX-2L120-A. #8
- (1) 1998 AJAX MAGNETHERMIC INDUCTION HEATERS 150 KW MODEL UNIT-D, S/N MX-2L120-A. #4
- (6) 1994 AJAX MAGNETHERMIC INDUCTION HEATERS 150 KW, S/N M-2B350-A-10 #6, M-2B350-A-8 #10, M-2B350-A-2 #14, M-2B350-A-7 #9, M-2B350-A-6 #5, M-2B350-A-5 #3.
- (1) 1992 AJAX MAGNETHERMIC INDUCTION HEATERS 150 KW MODEL B, S/N M92190A #11
- (1) 1992 AJAX MAGNETHERMIC INDUCTION HEATERS 150 KW MODEL C, S/N M92190A #12
- (16) LIFT COIL/DROP DOWN FURNACES, 50 Lb. Melting Capacity.

(10) FURNACES (ALL GAS FIRED)

- (1) 1974 THERMAL EQUIPMENT CORP. PUSHER TYPE MOLD PREHEAT, S/N 73121-2, 1,400,000 Btu/Hr, Max. 2300 F., Nat. Gas, Chart Recorder and Controls, Opening 27"x 30" High, Overall Length 11' Inside Furnace, #4
- (1) 1974 THERMAL EQUIPMENT CORP. PUSHER TYPE MOLD PREHEAT, S/N 73121-4, 1,400,000 Btu/Hr, Max. 2300 F., Nat. Gas, Chart Recorder and Controls, Opening 29-1/2"x 29-1/2" High, Overall Length 11' Inside Furnace, #5
- (2) 1974 THERMAL EQUIPMENT CORP. PUSHER TYPE MOLD PREHEAT, S/N 73121-8 #6, 73121-7 #3, 1,400,000 Btu/Hr, Max. 2300 F., Nat. Gas, Chart Recorder and Controls, Opening 26-1/2"x 30-1/2" High, Overall Length 11' Inside Furnace.
- (1) 1972 THERMAL EQUIPMENT CORP. PUSHER TYPE MOLD PREHEAT, S/N 73121-8, 907,000 Btu/Hr, Max. 1600 F., Nat. Gas, Chart Recorder and Controls, Opening 26-1/2"x 29-1/2" High, Overall Length 11' Inside Furnace, #2
- (2) 1988 REBUILT 1996 LINBERG HEAT TREAT FURNACE TYPE 15301/11-MT-606030-G-20, S/N 888041-L #9, 8880-2-L #7, 1,500,000 Btu/Hr, Chart Recorder, Opening 43"x 30-1/2" High, Inside Dimensions 64" L-R x 58" Deep x 41-1/2" High.
- (1) PACIFIC KILN HEAT TREAT FURNACE MODEL NG-60, S/N 1089-140, #10, Opening 46"X 30" High, Inside Dimensions 60" L-R x 46" Deep x 46" High.
- (2) PACIFIC KILN HEAT TREAT FURNACE MODEL GF-60, S/N 60588025FF #11, 60987021FF #12, Chart Recorder, Opening 44"X 29-1/2" High, Inside Dimensions 72" L-R x 40" Deep x 32" High.





(4) AUTOCLAVES

- (1) **2000 ALSTAM 60" DIA. X 96" DEEP**, Max. Allowable Working Pressure 150 P.S.I. @ 350 Deg. F., Min. Design Metal Temp 32 Deg. @ 150 P.S.I., Jacket 150 P.S.I.G., National Board No.24, S/N 115.
- (2) **1998 ELCO STEEL 35" DIA. X 60" DEEP**, Max. 150 P.S.I. @ 400 Deg. F., Min. -4 @ 150 P.S.I., Ca 0063 In., Distributed By J.F. Mc Caughin Co., Model 42398, National Board No.982, S/N 3013-1, National Board No.983, S/N 3013-2.
- (1) **1990 ELCO STEEL 35" DIA. X 60" DEEP**, Max. 150 P.S.I. @ 450 Deg. F., Min. -5 @ 150 P.S.I., Jacket .3125, Distributed By J.F. Mc Caughin Co., National Board No.498, S/N 2431.

(27) HEAT TREAT, VACUUM FURNACES & CURING OVENS

- (3) **IPSEN MODEL VFC-924-R**, Working Zone 40"x 60"x 48", Temp. 2200 Deg. F., S/N 57365, 57876, 56999.
- (1) **(NEW) Chamber.**
- (6) **(NEW) Basket.**
- (10) **BASKETS.**
- (1) **TRANSHEAT HEAT TREAT TUNNEL MODEL TMF-1633B4168E**, Seven Zone, Leeson Speed Master Control, Vari-Speed, 15-1.2" Wide Chain Mesh Belt, 4-3/4" Opening, S/N ZRI/11.
- (4) **LEESON HEAT TUNNELS**, Vari-Speed, Opening 24"x 7-1/2" High, Belt Size 24", Oven Length 60", Omron Digital Control.
- (9) **1998-1997 THERMAL SYSTEM OVEN MODEL TS-212HT**, Electric, S/N 9801A, 9801B, 9710, 9806, 9804, 9711B, 9705D, 9710, 9702C.
- WALK-IN DOUBLE DOOR OVEN, ELECTRIC**, Inside Dimensions 60" L-RX 66" F-Bx 66" High.
- (6) **BELCO TUNNEL CURING BELT TYPE OVENS MODEL ST-2210**, S/N 9546, 8394, 8623, 8388, 9963.
- (4) **SMALL TUNNEL CURING BELT TYPE OVENS**. 9" Wide Belt, 24" Tunnel Length, 5" Opening.

SHELL DEPARTMENT, MIXING & POURING EQUIPEMENT

- (1) **2001 VA TECHNOLOGY LTD.** Shell Maker, Part No.126025, S/N 0013.
- (3) **1998 MYERS ENG. MIXERS MODEL 775A-7**, S/N 5-2650, 5-2649.
- (4) **TWO-UP/DUAL BARREL MIXERS**, 55 Gallon Drum Capacity, Holds 2-Each.
- (10) **1998 GROEN DOVER INC. STAINLESS WAX KETTLES**, Max. Model Dlt-80, W.P. 25 P.S.I. @ 300 Deg.F.
- (1) **30" DIA. SLURRY MIXER** Motorized.
- (10) **24" DIA. FLUIDIZED BEDS.**
- (1) **30" DIA. FLUIDIZED BEDS.**
- (22) **28" TO 40" DIA. SLURRY POTS**, Tilting Type.
- (3) **MORSE SLURRY POTS**, Mobile, Manual Hyd. Lift.
- (5) **RED VACUUM POTS.**

SPECIAL INTEREST

- (1) **2000 COUNTER GRAVITY LOW PRESSURE AIR MELT HIGH PRECISION CASTING MACHINE**, Equipped With Vip Induction Corp Power Source, Allen Bradley Panel View 600 Control, Stokes Vacuum Pump Model Hr, S/N 709631, Heraeus Electro-Nite Ez-Read Dt-375.
- (1) **UNIMATE PRAB CELL ROBOT WITH RAIN-FALL**, Consisting Of Unimate Model R4005js Robot 6-Axis (16) Programs 4-Speed Hi/Low, 5'x 5'x 5' Rainfall Over Fluidized Bed, (2) 42"Motorized Rotating Slurry Pots, 42" Dia. Fluidized Bed.

BLAST CLEANING & FINISHING EQUIPMENT

- (1) **1998 WHELABRATOR TUMBLE BLAST MACHINE**, Two Have Steel Flight, One With Rubber Flight, S/N A142386, A142387.
- (32) **1998 SWECO MODEL FM-10HA**, 10-Cubic Ft. Batch Type Flat Bottom Machines.
- (1) **2000 TIPTON BARREL TYPE FINISHING MACHINE MODEL HS-R240-X128**, Four-Barrels, Capacity 240 Ltrs., S/N 0703900017700-KMH1CWG,
- (1) **1991 TIMESAVER NO. HZ-120,CENTRIFUGAL BARREL TYPE, CAPACITY 3.8 CUBIC FT.**, Four-Barrels, S/N 20027F.
- (12) **1998 KELCO WHEELABRATOR TYPE TUMBLE BLAST MACHINE, 3 CUBIC FT.**, Rubber Belt, With Elevator, 7-1/2 H.P.
- (172) **1998 KELCO MODEL NO. CS-22-C, SYPHON BLAST CABINET**, Inside Dimensions 24"X 24"X 25", Door Opening 20"X 21", Grate Height 37", Fan Motor 1/2 H.P.
- (13) **1998 KELCO MODEL NO.CH-24, PRESSURE BLAST CABINET**, Inside Dimensions 24"X 24"X 25", Door Opening 20"X 21", Grate Height 37", Fan Motor 1/2 H.P.
- (23) **1999 KELCO MODEL NO.CH-36, PRESSURE BLAST CABINET**, Inside Dimensions 36"x 36"x 30", Door Opening 32"x 26", Grate Height 36"M Fan Motor 3/4 H.P.
- (205) **1998 POLISHING LATHES, STAND-UP, DOUBLE SIDED MADE BY RANCHO, FROM 5 TO 7-1/2 H.P.** With Idlers, Back Stands And Belt Guards, 118".
- (48) **1998 POLISHING LATHES, STAND-UP, DOUBLE SIDED MADE BY RANCHO, FROM 5 TO 10 H.P.**, With Buff Guards.
- (4) **1998 POLISHING LATHES, STAND-UP, DOUBLE SIDED WITH BUILT IN DUST COLLECTORS MADE BY RANCHO, FROM 5 TO 10 H.P.**, With Idlers, Back Stands and Belt Guards, 118". And Buff.

(75) WELDERS

- (56) **1995-2001 MILLER MODEL SYNCROWAVE 250 TIG WELDERS**, Dual Voltages, 1-Phase, S/N KG049095, KG07268, KG072265, KF990824, KG077223, KG071547, KG101240, KG071556, KF792377, KG071561, KG086432, KF995951, KJ005981, KF990825, KD402732, KG071544, KF992927, KF992925, LA057822, KF983166, KK321154, KG067979, KF838233, KG071550, KK321155, KK321173, KF996559, KG071549, KJ049336, KG048830, KK257973, KG071563, KG077224, KF996572, KG086435, KG086449, KF940153, KF94398, LA064620, LA103763, KF938706, KF992909, LA112467, LA006356, KG071551, KF978671, LA057821, KK321172, LA295227, LA103761, LA057825, KJ0228XX, KH488064, KJ016246, KJ049333, KH498631.
- (4) **2001 MILLER MODEL SYNCROWAVE 250DX TIG WELDERS**, Dual Voltages, 1-Phase, S/N LB002074, LB002076, LB002063, LB058644.
- (8) **1995-2001 MILLER MODEL SYNCROWAVE 150 TIG WELDERS**. Dual Voltages, 1-Phase, S/N KJ049337, KG071559, LA057820, KG071557, KG072271, KG049098, KF925526, KG071553.
- (5) **1995-2001 MILLER MODEL MAXSTAR 152, SNAP-START**, S/N KD482326, KD393363, KE558235, KD486294, KE558245.
- (1) **MILLER 400 MODEL SRH-44**, 400 Amp Arc Welder, S/N W527564.
- (2) **THERMAL ARC MODEL ULTIMA 150 PLASMA WELDERS**, S/N 01921362, 01921320.

PAINT DEPARTMENT

- (4) **PAINT LINES.**
- (1) **NUTRO CHAIN ON EDGE CLEAR COAT PAINT LINE**, Opening 72"x 48" High, Features: **BELL TYPE AEROBEL**, Infratech Control, Ultra Violet Lamp Controls, (4) Stack Of Fusion Uv Curing Model P600 Units, (2) Pass Through Ovens, Dimensions: 19 Ft.x 51"x 51" High, Xeric Webb Drying Systems Dry-Off Oven 10 Ft. Long, Simco Ionized Air Curtain, 210 Ft. Of Chain On Edge 6" On Centers.

PAINT DEPARTMENT (CONTINUED)

- (1) **ITW RANSBURG, CHAIN ON EDGE, ELECTROSTATIC WET PAINT LINE,**
Opening 48"x 37.5", Equipped With 130 Ft. Chain On Edge Conveyor, Edge 3"
On Centers, Binks Type Oven: Dimensions 22'x 51'x 58" High, Opening 18'x 16",
Two Pass In/Out.
- (1) **RANSBURG CHAIN ON EDGE ELECTROSTATIC WET PAINT LINE,**
Opening 48'X59" High, Equipped With 140 Ft.Of Chain On Edge Conveyor, Edge 3"
On Centers, Binks 4-Zone; Dimensions 19'x 51'X 59" High; Opening18'X 16",
Electric I/R Oven, Infratech Control.
- (1) **BINKS PRIMER WET PAINT LINE, CHAIN EDGE,**
Opening 36"X 32" High 35' Chain On Edge, 6" Centers, Equipped With Paint Guns,
Leeson Vari-Speed Control.
- (2) **LEESON VARIABLE SPEED TRANSFER LINE.**
- (3) **2004-2003 PRINTEX MODEL G2-100 PAD PRINTER,** Image Size 4.25" Dia.,
Image Size 5"X 9.7", Cycle Speed, 400-2400/ Hr., Air Consumption 2 Cfm@ 80 P.S.I.
- (1) **2003 FLUID MANAGEMENT PAINTMIXER MODEL H-1 120 PC,** 1-Gallon Capacity,
Capable Of Mixing 1-Gallon Or 1-Quart And1/2 Pint Cans, Full Enclosure,
Electric Door and Safety Switch.
- (18) **PRESSURE POTS.**

LAB EQUIPMENT

SPECTROMETER

- (1) **SPECTROMETER, APPLIED RESEARCH LABRATORIES, QUANTO METER 3460B,**
Remanufactured In 2000 By Roland Eng., Features:Quantum Software Qic Analysis
Software, Can Analyze (36) Metals.

EX-RAY MACHINE

- (1) **2000 FLUORO SCAN EX-RAY MACHINE** Conforms To 21cfr-Part 1020, S/N 2429.
- (1) **WAAGE MELTING POT MODEL WP4A-H-1.**
- (1) **WAAGE MELTING POT MODEL MP160A-6-2.**
- (1) **WAAGE ELECTRIC HOT PLATE MODEL 1212-S-2.**
- (1) **CAIG LABS MELTING POT MODEL R-120 A+, S/N 30250-2.**
- (1) **RO-TAP MODEL RX-29 TESTING SIEVE SHAKER,** 1/4 H/P, S/N 20658.

INSPECTION EQUIPMENT

- (2) **WILSON/ROCKWELL HARDNESS TESTERS MODEL 4JR-A,** S/N 7630, 586.
- (1) **JONES & LAMSON MODEL PC-14 14" OPTICAL COMPARATOR,** S/N E-25309.
- (1) **36"X 48" MOJAVE BLACK GRANITE SURFACE PLATE,** S/N 12562-0,
Grade B, Class 1.
- (1) **24"X 36" BLACK GRANITE SURFACE PLATE.**
- (1) **18"X 24" MICRO-FLAT TWO LEDGE BLACK GRANITE SURFACE PLATE.**

LARGE ASSORTMENT OF MITUTOYO, STARRETT, FEDERAL, DIGITAL MICS, VERNIERS,
BORE GAGES, DIGITAL DIAL INDICATORS, DIAL GAGES, INTERNAL MICS, OUT-SIDE MICS,
DIGITAL CALIPERS, INDICATOR BASES, ELECTRONIC BORE SCOPES, GAGE BLOCKS,
AND MORE, TO MUCH TO LIST.

SUPPORT EQUIPMENT

FILTER PRESSES

- (2) **2001 JWI J-PRESS, MODEL 800GG32-38-20DYLW,** Maximum Feed Press-100 PSI,
Air Sup. Press 100 Psi, Press Tester To 4100, Hyd Clamp Press 3700 PSI, S/N 175452.

CHILLERS

- (1) **2000 EVAPCO MODEL 1CT484,** S/N W017208.
- (2) **2000 BAC MODEL F1-733-K,** S/N E95200034, E96200029.
- (3) **1998 RECOLD MARLY COOLING TOWER MODEL JW-50A,** Hot Dipped Galvanized,
Solid Copper, S/N 98230, 98232, 98231.
- (1) **2001 TRANE WATER COOL CHILLER MODEL CGWD0304CJ0H0AT101FIOAUHG,**
S/N U01J01949.

BOILERS

- (2) **BOILERS.**
- (2) **VAPORIZERS.**
- (2) **1998 RANSOME VAPORIZERS MODEL RW 360E,** S/N R4206, R4207,
Inside Heat Exchange Surface Sq. Ft. 40.16, Outside 29, H.D. Thk. 280, Sh.
Thk. 280, Max Vaporizing Cap Gph 360, Vap. Cap. 218 CFM.
- (2) **HEAT EXCHANGERS.**
- (2) **1998 TRANE SERIES R HEAT EXCHANGER PUMPING UNITS MODEL**
RTWA0704XC01D3DOWF, Design Pressure 450 High Side, 300 Low Side,
S/N U98C98981, U98008982.

DEHUMIDIFIER

- (1) **DRY ZONE DEHUMIDIFIER ATS MODEL SDS-4500-122G,**
Gas Type, S/N 9802055.
- (3) **HUMIDIFIERS.**
- (3) **NORTEC HUMIDIFIERS** Condaire With Digital Controls.

SUPPORT EQUIPMENT (CONTINUED)

GENERATORS

- (1) **CATERPILLAR 740 H.P.,GENERATOR, MODEL 3412,** S/N 81209372,
Generator Set Rating 625 Kva, 500 Kw, Standby 60 Hertz, 3-Phase, Wye, Connection,
Generator 480 Volts, 752 Amps, Excitation 35 Volts 8.4 Amps.
- (3) **VACUUM PUMPS.**
- (2) **1997 KINNEY ROTARY VANE VACUUM PUMPS MODEL 300-950-3150,** 10 H.P.,
S/N J97-12-05007.
- (1) **KINNEY HIGH VACUUM PUMP MODEL KDH-150,** 7.5 H.P., S/N 85-0127-L5039-7.

MEDICAL EQUIPMENT

- (1) **1998 ACOUSTIC SYSTEMS HEARING TEST BOOTH, MODEL RE-130,** S/N 918198.
- (2) **RITTER PATIENT EXAMINING TABLE MODEL 104.**
- (2) **DETECTO FLOOR SCALE.**
- (2) **LABTRON BLOOD PRESSURE MACHINE.**
- (1) **WHEEL CHAIR.**
- (2) **UTILITY CART.**
- (4) **MEDICAL SUPPLY CABINETS.**

MISCELLANEOUS

- (1) **TENNANT FLOOR SWEEPER MODEL 6500,** S/N 650/5205, Propane Powered.
- (1) **OUTLAW PENNSILVANIA 4'X 4' DIGITAL PLATFORM SCALE MODEL 7600**
With Drive Up Ramp.
- (1) **FIRST WEIGH DIGITAL PLATFORM SCALE MODEL D112,** Floor Type.
- (6) **GARRETT MAGNESCANNER MODEL CS-5000.**
- (168) **FANS 20" DIA. DAYTON CIRCULATOR, 110 VOLT.**
- (29) **FANS 36" DIA. DIRECT DRIVE POULTRY FANS MODEL H98.**
- (1) **VARIAN PORTA-TEST LEAK DETECTOR MODEL 938-41.**
- (2) **MAYTAG INDUSTRIAL WASHER & DRYER.**

FORKLIFTS

- (3) **TOYOTA 4,000 LB., MODEL 5FG25, LP/GAS,** Automatic, Side Shift, Hard Tires,
48" Forks, Rebuilt 2000, S/N 7707.

CAFETERIA EQUIPMENT

- (1) **GARLAND DOUBLE STACK PIZZA OVENS.**
- (13) **8' PICNIC BENCH STYLE CAFETERIA TABLES.**
- (2) **MANITOWOC INC. ICE CUBE MACHINES MODEL S970,**
S/N 000622687, 990720197.

OFFICE EQUIPMENT & HVAC

LARGE SELECTION OF LATE MODEL OFFICE EQUIPMENT, SONY TELECONFERENCE
SYSTEM, PHONE SYSTEMS, COMPUTERS MONITORS, PRINTERS, FAX/COPY MACHINES,
DESK SETS, CHAIRS AND MORE, TO MUCH TO LIST.

AIR CONDITIONERS

- (1) **CHILLER TRANE MODEL CGWD0304CJ0** S/N U01j011949 30 Ton.
- (1) **A/C AQL TRANE MODEL TCH300B300FB** S/N R21100610d 25 Ton.
- (1) **A/C SALA ENT. GOODMAN MODEL PH060-1C** S/N 9412019832 5 Ton.
- (1) **A/C OF. GERENCIA TRANE MODEL TCH1B0B400EA** S/N P38103214D 15 Ton.
- (1) **A/C ADUANAS GOETTL MODEL HP602E-4** S/N 5158149 5 Ton.
- (1) **A/C INGENIERIA GOODMAN MODEL PC090-4B** S/N 9407125379 7 Ton.
- (1) **A/C RECURSOS H. TRANE MODEL TCH300B300FB** S/N R18102002D 25 Ton.
- (1) **A/C FOAM YORK MODEL B1HA036AY6B** S/N NCHM041392 3 Ton.
- (1) **A/C CTO. DE PINT. CARRIER MODEL 40RM-024-B600HC** S/N 4398F78526 20 Ton.
- (1) **A/C CTO. DE PINT. RUUD MODEL RAWD-200DAS** S/N ??03C159601013 20 Ton.

MAJOR LIQUIDATION

ON BEHALF OF:

Mexico Facilities

GOING ON NOW!

Late Model Investment Casting & Metal Finishing Equipment

COMPLETE LIQUIDATION • MULTIPLE LOCATIONS



FOR MORE INFORMATION OR TO MAKE AN APPOINTMENT FOR INSPECTION PLEASE CONTACT

LIQUIDATION SALE UNDER MANAGEMENT OF:

DL DON LEWIS
MACHINERY & EQUIPMENT, INC.

32 N. Wood Rd. #B • Camarillo, CA 93010
Phone: 805-987-4160 • Fax: 805-987-4170 • Email: home@donlewis.com
www.DONLEWIS.com



Individual Photos Available on All Equipment by Email Request

KMH
INTERNATIONAL

2325 Michael Farady • San Diego, CA 92154
Phone: 619-843-5005 • Fax: 619-661-0851 • Email: info@kmhintl.com
www.KMHINTL.com

MAJOR LIQUIDATION

GOING ON NOW!

ON BEHALF OF:
Coastcast
Mexico Facilities

Late Model Investment Casting & Metal Finishing Equipment

COMPLETE LIQUIDATION • MULTIPLE LOCATIONS

Investment Casting & Metal Finishing Facilities Equipment

Featuring: Melting Equipment • Blast Cleaning Equipment • Heat Treat & Furnaces • Dust Collectors • Compressors • Machine Tools
• InspectionLab Equipment • Welding Equipment • Rolling Stock • Office Equipment • Plant Support Equipment

DL DON LEWIS
MACHINERY & EQUIPMENT, INC.
32 N. Wood Rd. #B
Camarillo, CA 93010

FIRST CLASS PRE-SORT
MAIL U.S. POSTAGE
PAID
PERMIT NO. 32365
LOS ANGELES, CA